	Application No.	Applicant(s)
Notice of Allowability	10/519,847	HENRY ET AL.
	Examiner	Art Unit
	Zulmariam Mendez	1795
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>09/07/2007</u> .		
2. The allowed claim(s) is/are 15-41.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). ★ Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicla such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	' '
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Date	ė .
3. Information Disclosure Statements (PTO/SB/08),	7. 🛭 Examiner's Amendm	nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☑ Examiner's Stateme	nt of Reasons for Allowance

10/519,847 Art Unit: 1795

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kevin McKinley on November 26, 2007.

The application has been amended as follows:

On claim 29, the last three lines, which read: "the conical chamber, the support of the part to be coated, the part itself, and the anode are coaxial, the support of the part including a central substrate to receive said part and radial arms extending between one of the slices of the central support" were deleted due to fact that they were duplicated of the previous three lines within the same claim.

Allowable Subject Matter

- 2. Claims 15-41 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the claimed invention requires a reactor comprising a conical chamber open at two opposite ends, an anode placed in the chamber, a support for a part to be coated, means for circulating the electrolyte wherein the chamber includes stacked and removable slices and an armature for supporting and clamping the slices. The closest prior art comprises a conical reaction chamber open at two opposite ends, a support for the part to be coated,

Application/Control Number:

10/519,847 Art Unit: 1795

an anode placed in the chamber and means for circulating the electrolyte but fails to teach a chamber with stacked and removable slices and an armature for supporting and clamping the slices. There was not found a teaching in the prior art suggesting modification of the conventional reactor chamber to obtain the reactor of the instant application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zulmariam Mendez whose telephone number is 571-272-9805. The examiner can normally be reached on Monday-Thursday, 8:30am-5:00pm, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alexa Neckel can be reached on 571-272-1446. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/519,847 Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ZM ZYM

SUPERVISORY PATENT FYAMINED